

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

The time thing for correction of each violation is specified in the narrative portion of this report.								
Establishm		_	L a.			e of Inspection PERMIT #		
	· 5 1		mber and street, city, state, zip code)	180 233 1317	1/2		19-27	
		•	No. Non Albay, w 47150	•	'/*'	7-0] ' '	
Owner	- K~ HS F	***	in: Low Miles I'm Aleso	Purpose:	Follow-u	n Releas	se Date	
Kirk	1.1000			Routine	YES TODAY			
Owner's A		•		2. Follow-up	Summary of Violations:			
				1	Summary of Violations.			
Person in C	harge			3. Complaint	C = NC = S = R = Z			
Brith Responsible	'and	Wa	ren	4. Pre-Operational				
Responsible	e Person's	E-ma	il	5. Temporary	Menu Type (See back of page)			
				6. HACCP				
Certified Fo			2/-01	7. Other (list)	12 × 345			
rivst a	bowin	<u>bef</u> s	~ 2/28/20					
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"								
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"								
Section#	C/NC	R	Narrative			To Be Co	rrected By	
118	C	R	Observed stone without a dedicated ce.	tified fed manager		2/22	5/20	
ļ [*]			- per conversation with onner, stone will home vatil					
			the and of February to abhin CFM					
188	C		Measured mariner and ment bulls at 80° in but holding Retrain staff					
218	NC		Obsered hot helding unit to be leaking 2 weeks					
239	76		Observed theirs at more much needing inverted/handles up Today					
243	HC.		Observed single-use cases water over on floor Today					
297	NC		Observed for filter bulb to be rusted Corrected					
312	MC		Observed dumpsfer to be left open Today					
Mille		R	Observed all phone and drink on prop table Corrected					
204	C	-	Source was sin- by	by train		بالمرابح	5,02	
297	NC		Observed build-up in bulk ice bin Today					
<u> </u>	,							
			FCHD will retries 2/28/20 for follow-up					
			1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1					
		-						
					· · · · ·			
Received by (name and title printed): Inspected by (name and title printed):								
Birt	tani	L	Warren	A.). Ingram (EHS)				
Received by	signature	J	waren www	Inspected by (signature):				
	<i>س</i> ر	DL	yvar	<u> </u>				
cc:	-		CC:		cc:			
				_				